

Table of Contents



INTRODUCTION: Full Pathway for MAID



SECTION 1: Patient Inquiry

- Explores the patient's motivations for the request
- Details Clinician requirements with respect to conscientious objections and patient referral



SECTION 2: Assessment of Patient Eligibility for MAID

- Defines eligibility criteria and provides resources to support eligibility assessments
- Outlines key considerations for the development of the MAID care plan



SECTION 3: Provision of MAID

- Outlines key steps for the provision of MAID, certification of death, and reporting



SECTION 4: Documentation Checklist

- Highlights significant steps of the MAID process and associated documentation



SECTION 5: Supporting Material and References

- Lists relevant resources, guidance documents, policy statements, and tools for Clinicians

Introduction

Recent amendments made to Canada's *Criminal Code* establish a federal framework for the lawful provision of Medical Assistance in Dying (MAID).¹

MAID, as denoted by federal legislation,¹ refers to:

- The administering by a medical practitioner or nurse practitioner (NP) of a substance to a person, at their request, that causes their death; or
- The prescribing or providing by a medical practitioner or nurse practitioner of a substance to a person, at their request, so that they may self-administer the substance, and in doing so, cause their own death.

The Ontario Ministry of Health and Long-Term Care (MOHLTC) engaged the Centre for Effective Practice (CEP) to develop a resource to support Clinicians (medical and nurse practitioners) in the provision of MAID and to facilitate a consistent approach for the implementation of MAID within Ontario.

This resource highlights key considerations and recommends processes for the provision of MAID by Clinicians based on extensive consultations with key stakeholder organizations and regulatory bodies. It is intended to supplement, not circumvent, existing legal requirements, regulatory body requirements, or institutional processes that have been established.

While this resource is based on the best available information, there may be gaps in the process that cannot be addressed at this time. Every effort will be made to incorporate updates as new information becomes available.

Definition of Terms*

Medical Practitioner	A physician who is entitled to practise medicine in Ontario.
Nurse Practitioner	A registered nurse who is entitled to practise as a nurse practitioner in Ontario.
Clinician	For the purposes of this resource, the term <i>Clinician</i> refers to the medical or nurse practitioner that is overseeing the provision of MAID for an individual patient. This role may include, but is not limited to, receiving a patient request for MAID, conducting the first eligibility assessment, and administering or prescribing the drug protocol for the provision of MAID. It is recommended that this Clinician be responsible for ensuring that all relevant documentation is obtained and included in the patient's medical record. In instances where the Clinician responsible for the provision of MAID is not the Most Responsible Provider (MRP) (e.g., in cases of conscientious objection and patient referral), the MRP will remain involved to direct coordination of care for the patient (excluding the provision of MAID).
Second Clinician	For the purposes of this resource, the term <i>Second Clinician</i> refers to the medical or nurse practitioner that conducts the second, independent eligibility assessment of the patient. This role may also include administering or prescribing the drug protocol for the provision of MAID.


*The MRP and the Clinician OR Second Clinician may have overlapping roles and responsibilities or may be the same individual.




INFO: Full URLs for hyperlinks within this document are included in Section 5: Supporting Material and References.

INTRODUCTION: Full Pathway for MAID


SECTION 1: Patient Inquiry




SECTION 2: Assessment of Patient Eligibility for MAID



SECTION 3: Provision of MAID



 **SECTION 1: Patient Inquiry**



Patient inquires about MAID

A patient’s inquiry about MAID can take many forms:⁵


- An explicit request for MAID;
- A general inquiry of all available options to reduce suffering and expedite death (including MAID);
- An expressed desire to end their life with the assistance of a medical or nurse practitioner.

Discussion to understand motivation behind patient’s inquiry about MAID

An expressed desire to end one’s life through MAID requires a careful exploration to understand the patient’s suffering, as well as inducements that may arise from psychosocial or non-medical conditions and circumstances. If psychosocial factors (e.g., grief, loneliness, stigma, shame), or social conditions (e.g., lack of needed supports for the patient and caregivers) are motivating the patient’s request, efforts should be made to alleviate these concerns.

This is an opportunity for the Clinician to:

- Assess the patient’s motivations for the request;
- Discuss the patient’s concerns and unmet needs;
- Explore with the patient all alternate treatment options (e.g., comfort/palliative care, pain/symptom control, psychological support) including MAID.

 **Patients are not required to undergo any procedure or treatment that is not acceptable to them.**


Advance Medical Directive

At this time, a patient must be capable of consenting to MAID immediately before it is provided. For this reason, a person cannot consent to MAID through a living will or advance medical directive. Similarly, a substitute decision-maker cannot consent to MAID on behalf of a patient. Family/caregivers or any other individual do not have the legal authority to consent to or authorize MAID on behalf of a patient.


Conscientious Objections and Patient Referral

Clinicians with conscientious objections must respectfully inform their patients that they are unable to provide MAID and refer patients to another medical or nurse practitioner, institution, or agency that is willing to provide MAID. The referral must be made in a timely manner to ensure that patients are not exposed to unnecessary delays or adverse clinical outcomes (e.g., decline in capacity). Irrespective of a patient’s desire to explore MAID through another non-objecting Clinician, institution, or agency, Clinicians must continue to provide ongoing care (excluding the provision of MAID) and not abandon the patient.^{2,3,4}

Clinicians must comply with the requirements, policies, and guidelines set out by their respective regulatory college regarding conscientious objection and patient referral.

 Resources outlining referral guidelines for medical practitioners:

- [CPSO Policy Statement #4-16 Medical Assistance in Dying](#)
- [CPSO Fact Sheet: Ensuring Access to Care – Effective Referral](#)

 Resources outlining referral requirements for nurse practitioners:

- [Guidance on Nurses’ Roles in Medical Assistance in Dying](#)

Clinicians are required to adhere to additional directives outlined by their institution or agency (e.g., institutions may implement specific processes and policies to facilitate patient referral and to ensure access to care).

Clinicians who choose not to provide MAID can either make a referral through their own professional networks or through MOHLTC’s Clinician Referral Service (CRS).

 **INFO:** MOHLTC has created a CRS to support referrals by Clinicians.

The CRS phone line [1-844-243-5880] is staffed from: **Monday-Friday, 9am-5pm.** Voicemail is available after hours.

An e-mail inbox is also operational: MAIDregistration@ontario.ca

Patient Submits Formal Written Request


Patients must submit a formal written request for MAID, signed and dated in the presence of two independent[†] witnesses. The formal written request can only be signed and dated by the patient after they have been informed by the Clinician that they have a grievous and irremediable medical condition.

- For patients who are unable to write, the formal request can be transcribed
- For patients who are unable to sign and date the request, another person — who is at least 18 years of age, who understands the nature of the request for MAID and who does not know or believe that they are a beneficiary under the will of the patient, or a recipient, in any other way, of a financial or other material benefit resulting from that patient’s death — may do so in the patient’s presence, on the patient’s behalf and under the patient’s expressed direction[‡]

The patient’s formal written request must be signed and dated before two independent witnesses,[‡] who then must also sign and date the request.


[†]To meet the legal conditions for independent witness, the following criteria must be met:¹

- Person 18 years of age or older;
- Understands the nature of the request for MAID;
- Must not know or believe that they are a beneficiary under the will of the patient making the request, or a recipient, in any other way, of a financial or other material benefit resulting from that patient’s death;
- Must not be an owner or operator of any health care facility at which the patient making the request is being treated or any facility in which the patient resides;
- Must not be directly involved in providing health care services to the patient making the request; and
- Must not be directly providing personal care to the patient making the request.

 **INFO:** MOHLTC has created **Clinician Aids** to record the patient’s request and the results of the eligibility assessments:

- Formal Patient Request - [Clinician Aid A](#)
- Record of Eligibility Assessments - [Clinician Aid B](#) and [Clinician Aid C](#)

SECTION 2: Assessment of Patient Eligibility for MAID



Competent Adult and Assessing Capacity

- Federal legislation outlines that the patient must be at least 18 years of age and capable of making decisions with respect to their health to qualify to receive MAID.¹
- As capacity is specific to time and treatment:
 - The patient's capacity must be assessed specifically for consenting to MAID; and
 - The patient must be capable immediately before MAID is provided.

The requirements for capacity to undergo MAID are the same as those for any health care treatment. The use of existing procedures for capacity assessments are encouraged.²

Two-part question to assess capacity:⁶

1. Is the patient able to understand the information relevant to deciding to consent, or to refusing to consent, to MAID?
2. Is the patient able to consider and appreciate the reasonably foreseeable consequences of consenting or not consenting to MAID?

The following resources may be helpful to Clinicians when assessing capacity:

- [NICE Capacity and Consent Tool](#)
Two sections: Consent to Treatment and Decisional Mental Capacity and Capacity Assessment
- [Aid to Capacity Evaluation \(ACE\)](#)
Helps to systematically evaluate capacity when a patient is facing a medical decision
- [Assessment of Capacity to Consent to Treatment \(ACCT\) Interview](#)
Assesses four decisional abilities and can be used to assess consent capacity in patients with neurocognitive or neuropsychiatric illness
- [CPSO - Consent to Treatment](#)
- [CNO - Practice Guideline: Consent](#)

Voluntary Request and Informed Consent to MAID

The patient's request for MAID must be voluntary and not result from external pressure.^{1,2,3}

Reasonable measures should be taken to assess that the patient's decision has been made freely, without coercion or undue influence from family members, health care providers, or others.

Patient must provide informed consent to receive MAID, after having been informed of alternate care options available to alleviate suffering, including palliative care.¹

In order for consent to be informed, the patient must understand the six components of informed consent, as outlined in the *Health Care Consent Act, 1996*.⁶

- The nature of the treatment;
- The expected benefits of the treatment;
- The material risks of the treatment;
- The material side effects of the treatment;
- Alternative courses of action;
- The likely consequences of not having the treatment.

! The patient must understand that consent can be withdrawn at any time before undergoing MAID, without negative consequences on the Clinician-patient relationship or on the care provided to the patient.

The Clinician has an obligation to take reasonable steps to ensure that the patient has understood the information provided regarding their health status and MAID. If the patient has difficulty communicating, the Clinician must take necessary measures to provide a reliable means by which the patient may understand the information provided and communicate their decision.^{1,2,3}

Clinicians should consider the following to determine if their patient meets the criteria for informed consent.

The patient:

- Consents specifically to MAID and understands the certainty of death upon being given or taking the lethal medication;²
- Is fully informed of the process for the provision of MAID, including time, place, and method of administration;
- Understands their health status, diagnosis, prognosis, and likelihood of death upon taking the lethal medication;
- Is aware of potential complications related to the provision of MAID, including medication failure;
- Is fully informed of alternative treatments and courses of action, such as: comfort, palliative, and hospice care, pain and symptom control, and psychological or spiritual counselling;
- Is informed that upon death, their body may be transferred by the Office of the Chief Coroner for examination. The extent of the Coroner's investigation cannot be predicted in advance and may include a full autopsy. The Coroner will complete the death certificate and will classify the death as suicide, as per current practice;
- Is provided with answers to all questions and to requests for additional information about MAID or any of the above items.

The following resource may be helpful to Clinicians when assessing voluntariness and informed decision making with respect to patients from vulnerable populations:

- [Vulnerability Assessment](#)

SECTION 2: Assessment of Patient Eligibility for MAID

Grievous and Irremediable Medical Condition

A patient's condition is grievous and irremediable if ALL of the following criteria are met: ^{1,2,3,4}

- Serious and incurable illness, disease, or disability;
- Advanced state of irreversible decline in capability;
- Enduring physical or psychological suffering as a result of the illness, disease, or disability that is intolerable to them and that cannot be relieved under conditions that they consider acceptable; and
- Natural death has become reasonably foreseeable (precise proximity to death is not required).

As stated in [Justice Canada's Legislative Background: Medical Assistance in Dying](#), "the medical condition that is causing the intolerable suffering does not need to be the cause of the reasonably foreseeable death". The patient's natural death is foreseeable, if it is expected to transpire within "a period of time that is not too remote".



The following resources may be helpful to Clinicians when assessing the patient's condition:

- [The GSF Prognostic Indicator Guidance](#): A guide that helps Clinicians with earlier identification of adult patients who are nearing the end of their life and may need additional support.
- [Supportive and Palliative Care Indicators Tool \(SPICt\)](#): A guide to help identify people at risk of deteriorating health and dying.
- [Mississauga Halton Regional Hospice Palliative Care Early Identification and Prognostic Indicator Guide](#): A guide to support earlier identification of patients nearing the end of life.
- [Illness Trajectories and Palliative Care](#): Publication describing three typical illness trajectories for patients with progressive chronic illness.

Conducting Eligibility Assessments For MAID

Two independent* Clinicians (e.g., two medical practitioners, two NPs, or one medical practitioner and one NP) must separately conduct an assessment to ensure that the patient meets ALL the criteria required to be eligible for MAID and provide their opinion in writing to confirm the patient's eligibility. ^{1,2,3,4}

*To meet the legal conditions for independence, each Clinician must ensure that they:¹

- Are not a mentor to the Second Clinician or responsible for supervising their work;
- Do not know or believe that they are a beneficiary under the will of the patient making the request or a recipient, in any other way, of a financial or other material benefit resulting from the patient's death, other than standard compensation for their services relating to the request; and
- Do not know or believe that they are connected to the Second Clinician or to the person making the request in any other way that would affect their objectivity.



The following resource may be helpful for Clinicians to better understand the eligibility criteria for MAID:

- [Justice Canada, Medical Assistance in Dying Glossary](#)

Eligibility needs to be assessed on a case-by-case basis to reflect the uniqueness of each patient's circumstances.



It is encouraged that Clinicians consult their colleagues to obtain additional information that may support assessment of patient eligibility for MAID.

Example 1: Clinician suspects that a patient's mental health condition may be impacting the ability to make decisions with respect to their health and initiates a psychiatric consult to help assess capacity.

Example 2: Clinician consults a neurologist to confirm the finding that a patient's natural death has become reasonably foreseeable due to their neurological condition.

Inclusion of family members, caregivers, and friends

There is no formal notification process to inform family/caregivers of a patient's decision to pursue MAID. A patient should be encouraged to speak with family members and/or caregivers about the choice to pursue MAID. The patient is not obligated to inform their family/caregivers of their decision to pursue MAID. With the patient's consent, discussions between the Clinician and family/caregivers should occur either before or after a formal request for MAID has been made.

Care Team

The provision of MAID will require a collaborative care team, including allied health care providers, support care personnel, and/or administrators, depending on the clinical practice setting. Early in the process, Clinicians are encouraged to identify and engage the appropriate individuals to discuss the roles and responsibilities of each team member in the provision of MAID (e.g., pharmacist).

It is encouraged that the care team review and debrief after the provision of MAID has been completed for a patient. The process can be an overwhelming and emotional experience for the Clinician and care team. The use of wellness resources and supports is encouraged to promote self-care.



Resource for medical practitioners:

- [OMA Physician Health Program](#)



CALL: Confidential Toll-free Line:
1-800-851-6606

Clinician Develops Care Plan for the Provision of MAID

The Clinician develops a care plan for the provision of MAID through discussions with the patient, family/caregivers (with consent) and other members of the care team.

Care Plan Considerations:

- Determine the method of providing MAID that is most appropriate for the patient given their wishes, health status, and available supports;
- If the patient plans to self-administer the medication for MAID at home, Clinicians must help the patient and family/caregivers assess whether this is a manageable option;
- Ensure that the care team is briefed of process that will be undertaken to provide MAID for the patient
- Inform pharmacist that the prescription will be used for the purpose of MAID;
- Ensure appropriate arrangements are made with respect to drug protocols (e.g., IVs are set up correctly; plan for what to do if initial drug fails; care team is aware of their roles, etc.).



The following resource may be helpful to Clinicians to help their patients and families prepare for End-of-Life Care:

- [Planning for and Providing Quality End-of-Life Care](#)

Organ and Tissue Donations

Trillium Gift of Life Network (TGLN)

Patients may be eligible to donate tissue and organs after MAID. Offering the opportunity for donation is part of the provision of high-quality end of life care. Through collaboration with the Clinician and TGLN, this conversation should take place early enough to facilitate patients incorporating the decision to donate into their planning for MAID.

Designated facilities and sites are required to notify TGLN of all patients whose death is imminent by reason of injury or disease as per section 8.1 of the TGLN Act.⁷



The following link provides a list of TGLN designated facilities and sites:

- [Designated Facilities and Sites](#)



CALL: Toll free (1-877-363-8456)
GTA (416-363-4438)

SECTION 2: Assessment of Patient Eligibility for MAID

Preparing for Self-Administration

- Family members and/or other caregivers are legally able to help the patient self-administer the lethal medication for MAID, provided that the patient explicitly requests the individual's help
- Ensure that the patient or responsible family member/caregiver has the ability to store the medication in a safe and secure manner so that it cannot be accessed by others
- Develop plan for the return of unused medication, in the event that patient chooses not to proceed with MAID
- Ensure that the patient and family/caregivers are educated and prepared for what to expect once the patient has ingested the lethal medication and their death is imminent
- Ensure that the family/caregivers are prepared for what to expect and what to do when the patient has died (i.e., instructions on notifying Clinician to attend the location, reporting the death to the Office of the Chief Coroner, etc.)
- Clinicians are encouraged to be present to support family/caregivers upon the patient's death (e.g., notification of the Office of the Chief Coroner)

Informing the Pharmacist

The Clinician who prescribes or obtains a substance for the provision of MAID must inform the pharmacist that the substance is intended for that purpose, before any pharmacist dispenses the substance.

It is encouraged that pharmacists are engaged as early as possible, once Clinician is aware that the patient is eligible for MAID.⁴

Collaboration at an early stage will ensure that eligible patients are able to access required medications and supplies in a timely manner.

Discussions with the pharmacist should include:⁴

- The drug protocol selected;
- The scheduled time and location for the administration of MAID;
- The time required to prepare (or obtain) the pharmaceutical agent(s);
- Whether there is a specific date after which the prescription should not be dispensed;
- Procedures for returning unused drugs to the pharmacy for safe disposal; and
- Any other relevant information required by the pharmacist.

Drug Protocols

Clinicians must exercise their clinical judgment in determining the appropriate drug protocol to follow for the provision of MAID.

Irrespective of the chosen drug protocol for MAID, Clinicians should ensure that the patient is comfortable and that pain and anxiety are controlled. The cost of drugs, including the backup kit, for all eligible patients are covered regardless of the mode of administration.



The following resource may be helpful to medical practitioners for additional information on drug protocols:

- [Drug Protocols \(available to CPSO members only\)](#)

The Reflection Period


The reflection period is intended to provide both the patient and the Clinician an opportunity to consider the request for MAID. This allows the patient sufficient time to reach an informed and voluntary decision to end their life, while appreciating the consequences of the decision.

There must be at least 10 clear days between the day on which the request was signed by or on behalf of the patient, and the day on which MAID is administered or the prescription for MAID is written.



EXCEPTIONS: If both Clinicians (Clinician providing MAID and Clinician conducting second eligibility assessment) are of the opinion that the patient's death, or the loss of their capacity to provide informed consent is imminent — a shorter period is allowed, as deemed appropriate by the first Clinician for the circumstances.^{1,2,3} It is contrary to federal law to shorten the 10-day reflection period for any reason other than the circumstances outlined here.

SECTION 3: Provision of MAID



Notification of the Coroner

Under current law, all MAID deaths must be reported to the Office of the Chief Coroner. Once a death is reported, the Office of the Chief Coroner is required to investigate. The Coroner is responsible for completing the Medical Certificate of Death. Clinicians will need to work with the Office of the Chief Coroner to provide the information required to make the process as efficient, effective, and appropriate as possible. It is recommended that Clinicians who provide MAID have complete medical records on-hand and accessible to the Coroner, in order to support an efficient and effective death investigation.



Office of the Chief Coroner:
1-855-299-4100



NOTE: Upon the patient's death, it is recommended that the Clinician be present to support family/caregivers (e.g., notification of the Coroner's Office), even in cases of self-administration.


SECTION 4: Documentation Checklist

The following is a list of documentation that should be included in the patient's medical record. These records should be on-hand and accessible to support an efficient and effective investigation by the Office of the Chief Coroner.

Documentation	Date and Initial (completed)
Patient Inquiry <input type="checkbox"/> Date of patient's initial inquiry <input type="checkbox"/> Date and details of discussion to understand the exact nature of the patient's request, including role of psychosocial factors <input type="checkbox"/> Patient informed of all available alternate treatment and care options, including palliative care	
Patient Consent Obtained to Discuss MAID with Family and Next of Kin	
Conscientious Objection and Patient Referral (if applicable) <input type="checkbox"/> Patient informed of Clinician's conscientious objections as per regulatory guidelines <input type="checkbox"/> Patient referral facilitated <input type="checkbox"/> All relevant patient records transferred by the referring Clinician (include name and contact information of referring Clinician)	
Eligibility Assessments: Completed Separately by Two Clinicians <input type="checkbox"/> Details and results of eligibility assessments <ul style="list-style-type: none"> • Clinician Aid B and Clinician Aid C: Use of the MOHLTC forms are optional, however the details and results of the assessments must be documented • Document all consults (e.g., psychiatric, neurological, capacity assessments) • All eligibility criteria are met: <ul style="list-style-type: none"> • At least 18 years of age • Capable of making decisions about their health • Meets criteria for grievous and irremediable medical condition • Request is voluntary (no concerns regarding coercion) • Informed consent • Eligible for publically funded health care services in Canada <p><i>Include dates of assessments, the names of Clinicians who completed the assessments, and confirmation that criteria for independence has been met</i></p>	
Formal Written Request for MAID <input type="checkbox"/> Written request completed, signed, and dated by the patient (Clinician Aid A : optional) <input type="checkbox"/> Signed and dated by two independent witnesses (confirm criteria for independent witness has been met) <input type="checkbox"/> Request transcribed on patient's behalf (if unable to write) <input type="checkbox"/> Request signed and dated on patient's behalf (if unable to sign)	
Patient Advised of Right to Withdraw Consent for MAID at Any Time	
Routine Notification for Donation Eligibility (mandatory for designated facilities and sites) <input type="checkbox"/> Document notification of Trillium Gift of Life Network (TGLN) CALL: 1-877-363-8465	
Details of MAID Care Plan <input type="checkbox"/> Members of care team identified and briefed <input type="checkbox"/> Document consent provided for inclusion of family/caregivers <input type="checkbox"/> Time and place of MAID <input type="checkbox"/> Method of administration <input type="checkbox"/> Pharmacist informed <input type="checkbox"/> Drug protocol selected <input type="checkbox"/> Plan for safe disposal <input type="checkbox"/> Other relevant considerations	
Patient and Family Meeting Prior to MAID Procedure <input type="checkbox"/> Discussion with patient (and family, with consent) to prepare them for provision of MAID	
Reflection Period <input type="checkbox"/> Document date reflection period begins <input type="checkbox"/> Document date reflection period ends – ensure 10 clear days between the day formal written request is signed, and the day that the lethal medication is administered or prescribed <input type="checkbox"/> Document justification for shortening of 10-day reflection period (if applicable)	
Patient Capacity and Consent Re-affirmed Prior to Provision of MAID	
Documentation Related to the Administration of MAID <input type="checkbox"/> Method of administration documented (in hospital/practice setting or self-administration) <input type="checkbox"/> MAID procedure note <input type="checkbox"/> Any other additional documents as required by Clinician's institution (e.g., completed and signed order set for MAID, pharmacy dispensing records, MAID medication administration record, etc.)	
Notification and Reporting of Death <input type="checkbox"/> Office of Chief Coroner notified: Call 1-855-299-4100 to report a death due to MAID <input type="checkbox"/> Patient's complete medical record provided to the Office of the Chief Coroner for investigation	

<p>[i] College of Physicians and Surgeons of Ontario Policy Statement #4-16: Medical Assistance in Dying http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/medical-assistance-in-dying.pdf?ext=.pdf</p> <p>[ii] CPSO Fact Sheet: Ensuring Access to Care – Effective Referral http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/PAD-Effective-Referral-FactSheet.pdf</p> <p>[iii] Guidance on Nurses' Roles in Medical Assistance in Dying http://www.cno.org/globalassets/docs/prac/41056-guidance-on-nurses-roles-in-maid-july-4-vfinal.pdf</p> <p>[iv] Clinician Aid A – Patient Request for Medical Assistance in Dying http://bit.ly/29Sovs0</p> <p>[v] Clinician Aid B - (Primary) "Medical Practitioner" or "Nurse Practitioner" Medical Assistance in Dying Aid http://bit.ly/2a9M8Pf</p> <p>[vi] Clinician Aid C - (Secondary) "Medical Practitioner" or "Nurse Practitioner" Medical Assistance in Dying Aid http://bit.ly/2eyjexk</p> <p>[vii] NICE Capacity and Consent Tool http://www.nicenet.ca/files/NICE_Capacity_and_Consent_tool.pdf</p> <p>[viii] Aid to Capacity Evaluation (ACE) http://www.jcb.utoronto.ca/tools/documents/ace.pdf</p> <p>[ix] Assessment of Capacity to Consent to Treatment (ACCT): Challenges, the "ACCT" Approach, Future Directions https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3074108/</p> <p>[x] College of Physicians and Surgeons of Ontario Policy Statement #3-15: Consent to Treatment http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/Consent-To-Treatment.pdf?ext=.pdf</p> <p>[xi] College Nurses of Ontario Practice Guideline: Consent http://www.cno.org/globalassets/docs/policy/41020_consent.pdf</p> <p>[xii] Assessing Vulnerability in a System for Physician-Assisted Death in Canada http://www.sacl.org/fileadmin/user_upload/CACL_Vulnerability_Assessment_Apr_8_2016_-_Final.compressed.pdf</p> <p>[xiii] Justice Canada's Legislative Background: Medical Assistance in Dying (Bill C-14, as Assented to on June 17, 2016) http://justice.gc.ca/eng/rp-pr/other-autre/adra-amsr/p2.html - sec14</p> <p>[xiv] The Gold Standards Framework (GSF) Prognostic Indicator Guidance http://www.goldstandardsframework.org.uk/cd-content/uploads/files/GeneralFiles/PrognosticIndicatorGuidanceOctober2011.pdf</p> <p>[xv] Supportive and Palliative Care Indicators Tool (SPICT™) http://www.gov.scot/resource/doc/924/0111396.pdf</p> <p>[xvi] Mississauga Halton Regional Hospice Palliative Care Early Identification and Prognostic Indicator Guide https://www.cancercare.on.ca/common/pages/UserFile.aspx?fileId=344053</p>	<p>[xvii] Murray SA, Kendall M, Boyd K, Sheikh A. Illness Trajectories and Palliative Care. <i>BMJ</i>. 2005;330(7498):1007-1011 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC557152/</p> <p>[xviii] Department of Justice Canada: Medical Assistance in Dying Glossary http://www.justice.gc.ca/eng/cj-jp/ad-am/glos.html</p> <p>[xix] Ontario Medical Association: Physician Health Program http://php.oma.org/index.htm</p> <p>[xx] College of Physicians and Surgeons of Ontario Policy Statement #6-16: Planning for and Providing Quality End-of-Life Care http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/End-of-Life.pdf?ext=.pdf</p> <p>[xxi] Trillium Gift of Life Network (TGLN): Public Reporting (List of Designated Facilities and Sites) http://www.giftoflife.on.ca/en/publicreporting.htm - donors-cal</p> <p>[xxii] CPSO Drug Protocols – Member Login https://www.cpso.on.ca/Login.aspx</p>
---	--

Additional supporting materials and resources that may be useful for Clinicians:

[xxiii] Canadian Nurses Protective Society: Medical Assistance in Dying: What Every Nurse Should Know
<http://cnps.ca/MAID>

[xxiv] College of Nurses of Ontario Medical Assistance in Dying - FAQs
<http://www.cno.org/en/trending-topics/medical-assistance-in-dying/medical-assistance-in-dying-faqs/>

[xxv] College of Physicians and Surgeons of Ontario Policy Statement #4-16: Medical Assistance in Dying
<http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/medical-assistance-in-dying.pdf?ext=.pdf>

[xxvi] FAQ about the Vulnerable Persons Standard
<http://static1.squarespace.com/static/56bb84cb01dbae77f988b71a/t/56ec3f6d2eeb817a4988351d/1458323310>

[xxvii] Ontario College of Family Physicians: Medically-Assisted Dying
<http://ocfp.on.ca/tools/medically-assisted-dying>

[xxviii] Ontario College of Pharmacists: Medical Assistance in Dying: Guidance to Pharmacists and Pharmacy Technicians
<http://www.ocpinfo.com/library/practice-related/download/PhysicianAssistedDeath.pdf>

[xxix] Trillium Gift of Life Network (TGLN): Routine Notification for Designated Hospitals FAQ
<https://www.giftoflife.on.ca/resources/pdf/Routine%20Notification.pdf>

[xxx] Vulnerable Persons Standard
<http://static1.squarespace.com/static/56bb84cb01dbae77f988b71a/t/56e17c654d088e2c2003c978/1457618022701/VPSStandard-March9.pdf>

*These supporting materials are hosted by external organizations and as such, the accuracy and accessibility of their links are not guaranteed. CEP will make every effort to keep these links up to date.

SECTION 5: References

- An Act to amend the Criminal Code and to make related amendments to other Acts (medical assistance in dying) (formerly Bill C-14), 1st Sess, 42nd Leg, Canada, 2016 (assented to June 17, 2016).
- College of Physicians and Surgeons of Ontario Policy Statement #4-16: Medical Assistance in Dying. 2016. [cited 2016 June]. Available from: <http://www.cpso.on.ca/CPSO/media/documents/Policies/Policy-Items/medical-assistance-in-dying.pdf?ext=.pdf>
- College of Nurses of Ontario: Guidance on Nurses' Roles in Medical Assistance in Dying. 2016. [cited 2016 June 27]. Available from: <http://www.cno.org/globalassets/docs/prac/41056-guidance-on-nurses-roles-in-maid-july-4-vfinal.pdf>
- Ontario College of Pharmacists: Medical Assistance in Dying - Guidance to Pharmacists and Pharmacy Technicians. 2016. [cited 2016 July 5]. Available from: <http://www.ocpinfo.com/library/practice-related/download/PhysicianAssistedDeath.pdf>
- Branigan M. Desire for hastened death: exploring the emotions and the ethics. 2015. [cited 2016 September 30]. *Curr Opin Support Palliat Care*. 9(1):64-71.
- Health Care Consent Act, 1996, S.O. 1996, c. 2, Sched. A
- Trillium Gift of Life Network Act, R.S.O. 1990

This Resource was developed as part of the Knowledge Translation in Primary Care Initiative, led by CEP with collaboration from OCFP and NPAO. Clinical leadership for the development of the resource was provided by Dr. Sandy Buchman, MD CCFP (PC) FCFP, and the resource was subject to external review by health care providers and other relevant stakeholders. This resource was funded by the Government of Ontario as part of the Knowledge Translation in Primary Care Initiative.

This Resource was developed for licensed health care professionals in Ontario as a guide only and does not constitute medical or other professional advice. Health care professionals are required to exercise their own clinical judgment in using this Resource. Neither the Centre for Effective Practice ("CEP"), Ontario College of Family Physicians, Nurse Practitioners' Association of Ontario, Government of Ontario, nor any of their respective agents, appointees, directors, officers, employees, contractors, members or volunteers: (i) are providing medical, diagnostic or treatment services through this Resource; (ii) to the extent permitted by applicable law, accept any responsibility for the use or misuse of this Resource by any individual including, but not limited to, primary care providers or entity, including for any loss, damage or injury (including death) arising from or in connection with the use of this Resource, in whole or in part; or (iii) give or make any representation, warranty or endorsement of any external sources referenced in this Resource (whether specifically named or not) that are owned or operated by third parties, including any information or advice contained therein.



Medical Assistance in Dying (MAID) is a product of the Centre for Effective Practice. Permission to use, copy, and distribute this material for all non-commercial and research purposes is granted, provided the above disclaimer, this paragraph and the following paragraphs, and appropriate citations appear in all copies, modifications, and distributions. Use of the Medical Assistance in Dying (MAID) for commercial purposes or any modifications of the resource are subject to charge and use must be negotiated with the Centre for Effective Practice (Email: info@effectivepractice.org).

For statistical and bibliographic purposes, please notify the Centre for Effective Practice (info@effectivepractice.org) of any use or reprinting of the resource. Please use the below citation when referencing the Resource:

Reprinted with Permission from Centre for Effective Practice. (November 2016). Medical Assistance in Dying (MAID): Ontario. Toronto: Centre for Effective Practice.

Developed by:



In collaboration with:



Ontario College of Family Physicians

